

GENERAL PRECISION LABORATORY
INCORPORATED63 BEDFORD ROAD
PLEASANTVILLE, N. Y.

COPY 1 OF 2

Reneg.

INVOICE N^o 23309

CUSTOMER'S ORDER NO.

CONTRACT NO. RA-1076

INVOICE DATE April 30, 1959

SALES ORDER NO. 4324

SHIPPED TO:

SOLD
TO

Commanding Officer

STAT
STAT

TERMS: NET 30 DAYS: PAYABLE AT PAR IN NEW YORK FUNDS

f.o.b. Pleasantville, N.Y.

DATE SHIPPED 5/1/57

SHIPPING ORDER NO. 15830


VIA Slick Airways - prepaid

ITEM NO.	QUANTITY	PART NO.	DESCRIPTION	UNIT PRICE	AMOUNT
5. sub- item 41	4	123-5-1	PC-210A Flyaway Spare Parts Kit including: Azimuth Synchro I certify that the above bill is correct and just and that payment therefor has not been received. GENERAL PRECISION LABORATORY INCORPORATED <u>Assistant to Controller</u> <u>Controller & Assistant Treasurer</u> MERCHANDISE RETURNED AGAINST THE SALES ORDER NUMBER SHOWN ABOVE WILL BE ACCEPTED ONLY IF (1) ITS RETURN HAS BEEN AUTHORIZED BY OUR RETURN MATERIAL AUTHORIZATION OR (2) IF THE PACKING LIST ACCOMPANYING IT BEARS REFER- ENCE TO A RETURN MATERIAL AUTHORIZATION NUMBER SECURED FROM OUR SALES DEPARTMENT.	172.85	\$ 691.40

STAT

SELLER REPRESENTS THAT WITH RESPECT TO THE PRODUCTION OF THE ARTICLES AND/OR THE PERFORMANCE OF THE SERVICES COVERED
BY THIS INVOICE, IT HAS FULLY COMPLIED WITH SECTION 12 (A) OF THE FAIR LABOR STANDARDS ACT OF 1938, AS AMENDED.

ALL CLAIMS OR ALLOWANCES MUST BE MADE WITHIN FIVE DAYS AFTER RECEIPT OF GOODS



7113
DPP-3455-59
COPY 1 OF 2

GENERAL PRECISION LABORATORY INCORPORATED ■ 63 BEDFORD ROAD, PLEASANTVILLE, N. Y.
TELEPHONE: ROGERS 9-5000

MAY 14 1959



STAT

Attention:



STAT

Subject: Contract RA-1076

Gentlemen:

We are forwarding herewith our Invoices 23545 and 23546.

Verification of receipt of shipment was indicated by your letters 24267 dated February 11, 1958 and DPS 5868 dated December 4, 1958.

Very truly yours,



STAT

FHB:nh

Contract Administrator

10
DOCUMENT NO. _____
NO CHANGE IN CLASS. ☐
☐ DECLASSIFIED
CLASS. CHANGED TO: TS (S) C 2017
NEXT REVIEW DATE: _____
AUTH: HQ 70-2
DATE: 640272 REVIEWER: 010956